SatView

- Version 1.0.0 © Atkins Ltd (2014)

5120257.210 SATUGM14 05/12/14

SatView – User Requirements?

User Check List ...

- Windows-based Graphical User Interface
- Mapping background (Map, Aerial + Hybrid)
- Enable 'Desktop' publishing
- Instant summary information
- Easy export to professional GIS packages
- Cosmetic network adjustments (including easy export / import)
- Ongoing development

A new way of displaying SATURN information

- not a P1X replacement











Opening View



Opening View



Zooming into the Simulation























Structure & Summary Panels (i) – Assignment Details

itructure		•	o x
	Q	T	×
D:\DATA\SatView\TestNetworks\\EPSOM201	4B.U	FV	
User Nodes (38)			
Assignment Nodes (123)			
Assignment Links (171)			
🕑 Structure 🕑 Organizer 🛛 Layers			

Summary - 🗆 🗙
Assignment Summary
EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14
C EPSOM2014B.0FV
DI
SatView
TestNetworks
SATVIEW_Network_compare
UF File Version is 20.7 Created by SATDB DATA BASE ANALYSIS 02.11.14
Created on 11/11/14 at 12:07:48
has
× Preload from previous assignment
× Queues passed from previous time period
× Bus loads
• 1 user class(es)
Soolean Parameters
✓ Float Parameters
✓ Integer Parameters
Summary Object Info

Structure & Summary Panels (ii) – User Nodes

ructure		•	• •
	Q	۲	×
D:\DATA\SatView\TestNetworks\\EPSOM2014B.U	JFV		
User Nodes (38)			
Assignment Nodes (123)			
Assignment Links (171)			
Structure 💭 Organizer Layers			

Summary				• 🗆 X
Node Summa	ry			ß
Node Count			26	J
Number Range			[10 - 440]	
Buffer Nodes			11	
Zone Centroids			12	
Centroid Range			[C1 - C12]	
Simulation Node	s		26	
(Details 			_
	Node Type	Node Icon	Total Count	
	ZoneCentroid	Δ.	12	
	ExternalNode	•	11	
	PriorityJunction	\lor	1	
	TrafficSignal	▲	12	
	RoundaboutwUTurns	惫	2	
				_
Summary Object I	info			

Structure & Summary Panels (iii) – Links

Structure		•	• ×
	Q	T	×
 D:\DATA\SatView\TestNetworks\\EPSOM20148. User Nodes (38) Assignment Nodes (123) Assignment Links (171) 	JFV		
💮 Structure 🖸 Organizer Layers			

ummary				• •
Link Summary	/			
Link Count		:	171	
Buffer Links			D	
Simulation Links		1	50	
Sim Centroid Cor	nnectors	:	1	
Buf Centroid Con	inectors	:	11	
Link Type Count			В	
	 Details 			
	Link Type	Total Coun	t Total Dis	
	RealSimulationLink	50	6595	
	RealTurn	75	0	
	SimCCfromInternalZone	1	0	
	SimCCtoInternalZone	1	0	
	BufferCCfromZone	11	0	
	BufferCCtoZone	11	0	
BufferToSimulationAtCorc		11	0	
SimulationToBufferAtCorc		11	0	
×			•	

Structure & Summary Panels (iv) – Selected Links

Structure		•	□ ×
	Q	T	×
 D:\DATA\SatView\TestNetworks\\EPSOM20148. User Nodes (38) Assignment Nodes (123) Assignment Links (171) BufferCCfromZone(11) SimCCfromInternalZone(1) SimulationToBufferAtCordon(11) RealSimulationLink(50) 200<10 10>200 RealSimulationLink 230<20 20>230 RealSimulationLink 400<30 30>400 RealSimulationLink 410<40 40>410 RealSimulationLink 420<50 50>420 RealSimulationLink 420<60 60>420 RealSimulationLink 340<70 70>340 RealSimulationLink 300<80 80>300 RealSimulationLink 350<90 90>350 RealSimulationLink 350<100 100>350 RealSimulationLink 10<210 RealSimulationLink 10<210 RealSimulationLink 	JFV		
210<200 200>210 RealSimulationLink 310<200 200>310 RealSimulationLink			*
🕑 Structure 🕑 Organizer Layers			



Highlighting Link Selection



Highlighting Link Selection



Search for Node ID to filter

Structure		• 🗆 X
330	Q	T X
 D:\DATA\SatView\TestNetworks\\EPSOM2014B.U User Nodes (38) TrafficSignal(1) Assignment Nodes (123) TrafficSignal(6) Assignment Links (171) RealTurn(15) RealSimulationLink(6) 	JFV	Filter

Locate on Map



Locate on Map



Locate on Map







SatView EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MA	R14	
Home Compare Geography		
DataManagerWindow	Seal, And Sealow (
Data Bundles	Data Fields	Selected Fields
Str	DA Code Header Data Availability 238 P_Bus_Demand DataInAllNetworks	P_Bus_Demand 238
3 DAS Description of DAS (7)	•	P_PLOD_Dem 243
P1XDUMP Full Data Sets (Links) (300)	• P_PLOD_Dem 243	DA Code Header Data Availability 248 P PASSO Dem DataInAllNetworks
G_GenProps General properties (16)	• P_PASSQ_Dem 248	•
G_TimesSpeedsQueues Times, Speeds, Queues (194)	P_FIXED_Dem 253	P_FIXED_Dem 253
G_Queue Description of G_Queue (5)	P_Demand_Mid_XBL 258	P_Demand_Mid_XBL 258
G_Flows Flows (73)	P_ConvGEH_Dem 348	P_ConvGEH_Dem 348
IT Description Default Bundle Items IS Demand Flows True (72)	P_Demand_UC1 373	P_Demand_UC1 373
G_Demand	P_Demand_UC2 378	• P_Demand_UC2 378
G_Buses Buses (11)	P_Demand_UC3 398	P_Demand_UC3 398
G_Actual Actual Flows (30)	P_Demand_UC4 403	P_Demand_UC4 403
		Cancel Accept
Toutput		
Scale Bar: 40 m Zoom Level 18.33 Scale 1: 1,123 Extent: 51.33N, 0.2	7W to 51.33N, 0.27W EPSOM TOWN CENTRE: ATKINS IMPROVED N	ETWORK - MAR14 Action Status



SatView EPSOM TOWN CENTRE:	ATKINS IMPROVED NETWORK	- MAR14				
Home Compare	Geography					
+ 🗨 🤇	De Pan 🔀 🛐	ummary			< No. 100 100 100 100 100 100 100 100 100 10	
Move Node To Selection Zo	om Simulation	Link		R	Opacity Opacity	Export To ManInfo
Edit Selection	Map Navigatic				play Background Dis	play Export
Structure 👻 🖬 🗙	Map 1 🗙 Map 2	Road Name			=	Summary - I X
330 Q Y X	Bing Maps: Hybrid	A:	330 _{B:} A⊶B B	220 ⊶A		Link 🚯
atView\TestNetworks\\EPSOM20	C12	Direction 👌 N	S		The market	
odes (38)	angom.	Distance 120	1	20	In the second second	Koad Name
A 330 TrafficSignal	ALL LA	Constance 120				A: B: E:
nent Nodes (123)		Geometry Length 153			1.11	
ficSignal(6)		Lux 1	1		N	Direction 🛛 N S
▲ 320>330 TrafficSignal		Link Type	RealSimulationLink	RealSimulationLink	4 / 6	Distance 120 <mark>120</mark>
▲ 220>330 TrafficSignal		Other Info				Geometry Length 153
▲ 220<330 TrafficSignal	1					Lux 1 1
440>330 TrafficSignal		 Link Attributes 			-3 -1	Link Tune Beals Beals
A 340<330 TrafficSignal		Attribute	A-B Values	B-A Values	100 m	Link Type Reals Reals
ment Links (171)		P_Demand_Mid_XBL	95.01	359.26		Other Info
lTurn(15)	A DECEMBER OF A	P_ConvGEH_Dem	0.00	0.00	1	
lSimulationLink(6)	12 C. C. 1	P_Entry_Dem	0.00	0.00	///	Link Attributes
330<220 220>330 RealSimulation	8 11- 1	P_Exit_Dem	0.00	0.00		Attribute A-B`B-A'
330<320 320>330 RealSimulation	2151	P_Demand_Down_XBL	95.01	359.26	-	P_Demand_Mid_XBL 95.01359.26
220<330 330>220 RealSimulati	A L	P_SAVEIT_Dem	95.01	359.26		P_ConvGEH_Dem 0.00 0.00
440<330 330>440 RealSimulation		P_Previous_Dem	95.03	359.27	-	P_Entry_Dem 0.00 0.00
340<330 330>340 RealSimulation	T. I PT	P_ConvChange_Dem	-0.02	-0.01		P_Exit_Dem 0.00 0.00
330<440 440>330 RealSimulation		P_Demand_Tij	95.01	359.26	arti	P_Demand_Down_XBL 95.01(59.26
	and the second					P_SAVEII_Dem 95.01559.26
	124	Summary Object Info			40 m	
🕑 Stru 🔁 Org Layers	*	9		and the second	the second second	Summary Object Info
🚰 Output						
Scale Bar: 40 m Zoom Level 18.33	Scale 1: 1,123 Extent: 51.33	N, 0.27W to 51.33N, 0.27W	EPSOM TOWN CENTRE: A	TKINS IMPROVED NETWOR	K - MAR14	Action Status





SatView EPSOM TOWN CENTRE: ATK	INS IMPROVED NETWORK - MAR14		
Home Compare Geo	ography		
Move Node To New Location Edit	[♠] Pan [№] Full Extent Simulation [®] Zoom to Node Map Navigation	All Create Bands Load Data Bundle Load Data Bundle Load Data Bundle Screet Link Display	wind Display Export
Structure • 4 ×	1ap 1 🗙 Map 2	Create Bands Geometries in LocalDB	▼ Summary ▼ ∓ ×
330 Q T X	SatView - Create Bands	. 9	Link
atView\TestNetworks\\EPSOM20 odes (38) ficSignal(1) 330 TrafficSignal	Attributes P_Demand_Mid_XBL May value 1524.38		Road Name A: 330 B: 220 A→B B→A
nent Nodes (123)	Minusluo 0.00		Direction N S
ficSignal(6)	1524.29		Distance 120 120
▲ 220>330 TrafficSignal	Absolute max 1324.30		Distance 120 120
▲ 220<330 TrafficSignal	Average 312.02		Geometry Length 153
▲ 440>330 TrafficSignal	Randwidths	The second second	Lux 1 1
▲ 440<330 TrafficSignal	Units nor mater 10		Link Type RealSim RealSim
▲ 340<330 TrafficSignal			Other Info
nent Links (1/1)	Minimum Band Width 0.00		
ISimulationLink(6)	Maximum Band Width 1797693134862320000		Link Attributes
330	Fixed Band Width 0.00		Attribute A-B Va B-A Va
330			P_Demand_Mid_XBL 95.01 359.26
Croata	Labels		P_ConvGEH_Dem 0.00 0.00
	Round to Nearest 1.00		P_Entry_Dem 0.00 0.00
340	Lowest Value Shown 0.00		P_Exit_Dem 0.00 0.00
550	Highest Value Shown 1797693134862320000	a charment	P SAVEIT Dem 95.01 359.20
× +			P Previous Dem 95.03 359.27
🕑 Stru 🕒 Org Layers	Cancel Create Bands	40 m	Summary Object Info
🚰 Output			
Scale Bar: 40 m Zoom Level 18.33 Sca	le 1: 1,123 Extent: 51.33N, 0.27W to 51.33N, 0.27W	EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14	Action Status
	· · · · · · · · · · · · · · · · · · ·		





SatView EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14					
Home Compare Geography					
Image: Weight of the second	Create Load Data Bundle Bendy Links Apply Bendy Links Graphic(P1X)				
Edit Selec S Open					
Structure Data (D:) > DATA > SatView > TestNetworks > SATV	VIEW_Network_compare - 4 Search SATVIEW_Network_co P				
330 Q Organize X New folder					
atView\TestNetworks\\E bods (38) pdes (38) iiii backupforAssignmentNetwrok ficSignal(1) iiii W_DEBUG a 330 TrafficSignal iiii log ment Nodes (123) iiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiiii	Name Date modified ● epsom2008.GIS 04/11/2013 08: ● EPSOM2014.GIS 04/11/2013 08: ○ N S 120 120 th 153 1 1 RealSirr RealSirr s 0				
330<3 Southend	← ← → \to \to \to \to \to				
File name: SOM2014B.UFV					
	Open Cancel 0.00 0.00 0.00 0.00 0.00 0.00 0.00				
330<4	vn_XBL 95.01 359.26				
	P_SAVEII_Dem 95.01 359.20 P_Previous_Dem 95.03 359.27				
C Stru C Org Layers					
😭 Output					
Scale Bar: 200 m Zoom Level 15.93 Scale 1: 5,914 Extent: 51.33N, 0.28W to 51.34N, 0.26W EPSOM T	TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14 Action Status				









INS





SatView EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14	
Home Compare Geography	
Image: Construction layer • Selection Layer • Edit Selection Layer • Selection Layer • Map Navigation A Hide Connectors Image: Create lands Link Display Node Display	Export To MapInfo Export Export
Structure • I × Map 1 × Map 2 -	Summary 🔻 🖡 🗙
330 Q ▼ atView\TestNetworks\\EPSOM20 big Bing Maps: Hybrid Image: Constraint of the state of the	Link
²² COPY LINK all IDULES to	P_Demand_Mid_XBL 95.01 359.26 P_ConvGEH_Dem 0.00 0.00
Word Report	P_Entry_Dem 0.00 0.00 P_Exit_Dem 0.00 0.00 P_Demand_Down_XBL 95.01 359.26 P_SAVEIT_Dem 95.01 359.26 P_Previous_Dem 95.03 359.27 Summary Object Info Summary
Scale Bar: 40 m Zoom Level 18.67 Scale 1: 889 Extent: 51.33N, 0.27W to 51.33N, 0.27W EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14	Action Status

SatView EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14	
Home Compare Geography	
Image: Construction layer • Selection Layer • Edit Selection Layer • Selection Layer • Map Navigation A Hide Connectors Image: Create lands Link Display Node Display	Export To MapInfo Export Export
Structure • I × Map 1 × Map 2 -	Summary 🔻 🗜 🗙
330 Q ▼ atView\TestNetworks\\EPSOM20 big Bing Maps: Hybrid Image: Constraint of the state of the	Link Road Name Road Name A: 330 B: 220 A + B B + A Direction N S Distance 120 120 Geometry Length 121 Lux 1 1 Link Type RealSim RealSim Other Info Link Attributes Attribute A-B Va B-A Va
²² COPY LINK all IDULES to	P_Demand_Mid_XBL 95.01 359.26 P_ConvGEH_Dem 0.00 0.00
Word Report	P_Entry_Dem 0.00 0.00 P_Exit_Dem 0.00 0.00 P_Demand_Down_XBL 95.01 359.26 P_SAVEIT_Dem 95.01 359.26 P_Previous_Dem 95.03 359.27 Summary Object Info Summary
Scale Bar: 40 m Zoom Level 18.67 Scale 1: 889 Extent: 51.33N, 0.27W to 51.33N, 0.27W EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14	Action Status

SatView EPSOM TOWN CENTRE ATKIN	SIMPROVED NETWORK - MAR14	
F Home Compare George		_
	$\blacksquare \Box 5 \bullet 0 a_{+} = Document4 - Word TABLE TOOLS ? \Box - \Box \times$	
T 2 4	FILE HOME Atkins F+G INSERT DESIGN PAGEL REFERE MAILIN REVIEW VIEW DESIGN LAYOUT Nielsen, E * 👷	
New Location Layer • In	🚔 🕉 Times New Roman 🔹 12 🔹 🗄 🗧 🚈 👘 🐑 🔄 🖅 🗛 🛛 🖍	MapInfo
Edit Selection	Paste B I U → abe X₂ X² 🧇 🚍 Ξ Ξ Ξ 🛱 → 🎦 Styles Editing	Export
Structure - 🕈 🛪 M	$ \frac{\partial \mathcal{L}}{\partial \mathbf{r}} = \partial$	- ‡ ×
330 Q T 🗶 CI	ipboard 🗊 🛛 Font 🗊 Paragraph 🖓 Styles 😨	6
atView\TestNetworks\\EPSOM20 odes (38) <i>ficSignal(1)</i> a 330 TrafficSignal ment Nodes (123) <i>ficSignal(6)</i> a 320>330 TrafficSignal a 220>330 TrafficSignal a 220<330 TrafficSignal a 220<330 TrafficSignal a 440>330 TrafficSignal a 440<330 TrafficSignal a 440<330 TrafficSignal b 440<330 TrafficSignal c 440<330 TrafficSignal c 1100 TrafficSignal c 11	P Demand Mid XBL 95.01 359.26 P ConvGEH Dem 0 P Entry Dem 0	Name A: 330 B: 220 A→B B→A on ▷ N S ce 120 120 etry Length 121 1 1 rpe RealSirr RealSirr Info Attributes
	P Demand Down XBL 95 01 359 26	te A-B Va B-A Va
	P SAVEIT Dem 95.01 359.26	and_Mid_XBL 95.01 359.26
440	P Previous Dem 95.03 359.27	/ Dem 0.00 0.00
	P ConvChange Dem -0.02 -0.01	Dem 0.00 0.00
	P Demand Tii 95.01 359.26	and_Down_XBL 95.01 359.26
* *	(Ctrl) •	ious Dem 95.01 359.26
		Ohiest Infe
Cutout		
Scale Bar 40 m Zoom Level 18.67 Scale	AGE 1 OF 1 27 OF 27 WORDS 🛱 🗐 🗐 – – – + 110%	Action Status
Jocare son 40 m 200m 200m 2007 Scale		Action status









SatView EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14		_ ×_
MapInfo Professional		
Q Untitled - ArcMap		
File Edit View Bookmarks Insert Selection Geoprocessing Customize Windows Help		
i 🗅 🚰 🖶 🖕 % 👘 🚉 🗶 🤊 🗠 🔶 - 🛛 🚽 🚽 💭 🚽 💭 🚽 💭 🚽		
Table Of Contents 7 ×	Identify	퓌× 🗖
	Identify from: < Top-most layer>	Auto Hic
	⊡- AssignmentLinks	D0
	440<430	
Region AssignmentNodes	100 4 110	Sea
🖃 🗹 AssignmentLinks		
	Location: -29,485.619 6,680,580.3710	Jnknown Units
	Field	Value 🔺
	FID	144
	Shape	Polyline
	ID	145 =
	ANode	430
	BNode	440
	CNode	0
	AssANode	440<430
	X1	521021
	X2	520917
	Y1	160882
	Y2	160837
	PX1	521013.0 -
· · · · · · · · · · · · · · · · · · ·	<	P
	Identified 2 features	
, ,	-29114.372 6681363.658 Unknow	wn Units
Zoom: 1.438 km Editing: None Selecting: None		
Scale Bar: 40 m Zoom Level 18.67 Scale 1: 889 Extent: 51.33N, 0.27W to 51.33N, 0.27W EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR	R14	Action Status

SN













SatView EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14		
Home Compare Geography		
Image: Constraint of the constraint	Export To MapInfo	xport To Shapefile
Structure NetworkOpener.wor AssignmentLinks.MIF Edit6* Node_5Card_Export.Dat x	У	▼ ₽ ×
330 0	-	S 1
1 \$PARAMS 2 FREEXY = T 4 User Nodes (38) 4 TrafficSignal(1) 4 IXSHFT = 0	e Label 3 ID: 3	30 30 imentID:
Image: Solution Solution S IYSHFT = 0 Assignment Nodes (123) 6 IEPSG = 27700 Image: Traffic Signal(6) 7 & END	orID 0 2	661229 160719.2
<pre> RealTurn(15) RealSimulationLink(6) RealSimulationLin</pre>	netry Coords Si Ti Îype r Info	RID=3857;POINT (-: rafficSi <u>c</u>
\EPSOM2014B\Node_		
5Card_Export.Dat		
Organizer Layers Vinn C9 C9 Summary Output Output Image: Summary Image: Summary Image: Summary	ry Object Info	
E520,604 N160,908 Scale Bar: 100 m Zoom Level 16.67 Scale 1: 3,556 Extent: 51.33N, 0.27W to 51.33N, 0.26W EPSOM TOWN CENTRE: ATKINS IMPROVED NETWORK - MAR14		Action Status

Network Comparisons



SatView – Next Steps

Initial release as part of the SATURN Beta Programme to selected users

- Registration open for Beta Programme
 - Seeking diverse range of users & IT environment
- Frequent releases with new features as they become available

New SatView specific parameters

- introduced with v11.3.07K

Wider roll out during 2015

- with new licencing model



